




BALDEN

DENİZCİLİK SAN. TİC. LTD. ŞTİ.



PACKAGING LIST

BALDEN ON-LOAD RELEASE MECHANISM *BD-LBHR10*

BALDEN DENİZCİLİK VE TİC. LTD. ŞTİ.

Adress: GİPTAŞ Sanayi Sitesi B Blok No: 15 Tuzla/İSTANBUL

Tel: +90 216 44723 16 Fax: +90 216 446 2065

E-mail: balden@baldendenizcilik.com Web: www.baldendenizcilik.com

1. PRODUCT FEATURES

Type:	On Load Release Mechanism for Lifeboats
LoadingCapacity:	50 Kn. Each hook
Material:	Stainless Steel
Approval:	PRS.
Specified Standards:	SOLAS 74 Convention as amended, Reg. III/4, III/16, III/34, and X/3; IMO Res. MSC.48(66) I, IV, VI amendedby MSC MSC.207(81), MSC.218(82), MSC.272(85), MSC.293(87) & MSC.320(89); IMO Res. MSC.36(63) 8 - IMO Res. MSC.97(73) 8; IMO Res. MSC.81(70) amendedby MSC.200(80), MSC.226(82), MSC.274(85), MSC.295(87), MSC.321(89) & MSC.323(89); IMO MSC/Circ.980.

2. TRANSPORT, MAINTENANCE AND PACKAGING

A. TRANSPORT

The system is shipped in a wooden case.


A. 1 TRANSPORT SIZE AND CONTENT

PACKING LIST			
No	Name	Pieces	Explanation
1	HOOK RELEASE MECHANISM	X1	2 HOOKS+1 ARM

PACKING: 1 plywood boxes

DIM: 106*65*67

WEIGHT: 150= 150 k

	Item(s)	Quantity (One Boat Set)	
	(A) Center Release Mechanism	1 set	

(B) Release Hook



2 sets



(C) Hydrostatic Interlock

1 set



	(D) Hook Release Cable (with Clevis) for FWD & AFT Connections	FWD x 1 set AFT x 1 set	
	(E) HRI Release Cable with Mounting Clamp & Bracket	1 set	
	High Quality Drill (Ø6.5mm) for Safety Pin Device (supplied per service company)	1 piece	
	High Quality Drill (Ø10mm) for Center Release Mechanism (supplied per service company)	1 piece	
	Fitting Bolt & Nut (M8 x 30mm) for Hook Operating Lever	2 sets	
	Fitting Bolt & Nut (M8 x 20mm) for Safety Pin Device	2 sets	
	Fitting Bolt & Nut (M12 X 50mm) for hook table – lifeboat connection	2 sets	